75 SE on thinly laminated sandstone interbed
includes some lithic tuff / lapilli tuff
(black and white and green; black and
te quartz - biotite, quartz epidot
ss beds

3 coarse Fe mn qtzite - partly
lved carbonate bed? or rexline volc tuf
t. Then (blw) chl phyll.
4 ms/qtz ss beds thn bded - lam hummock
beds? in ditch
- pinkish phyllite above
beds above have many sed structs, including
x beds

(L) 995 Rustburg

qtzite, qtz pebble schist, chlt qs fra

or beds, reclined chevron [illegible] open [illegible]

RSB 3-3-1 mafic, bio rich sap - GS? - [illegible]

Mica schist sap

RSB 3-3-2 Mica schist OC schist has

green and pink layers [illegible] needle like [illegible]

RSB 3-3-3 mica schist/phyllite tan chlt

qtz-sericite-mynetite. fine grained - no pbs

Aug 7 - 1991

RSB 3 1 1 Chl chtd musc sch phyllite [illegible]

[illegible] Babtist Church house

RSB 3 1 2 2 - qtz - epidote - amp granofels (green

N55E - 85 SE Looks like normal contact

with upper Alligator back or lower Lo

RSB 321 Aug 1991 cataclastic zone in mica schist NOSE 6

SE of zone schist has round garnet pbs, much more deformed texture than to NW = Ridgeway

RSB 361 partly retrograded staurolite schist

s very abundant were power line, crosses ridge, looks like candler on NW slope

SB 371 noolless folds along folia appear overturned white mica phyllite has larg



garnet and chltd/staurt pbs - euhedra

no retrogression - single event prograde fabr